

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
<i>ITMES NOTED"**, "**" & "SPECIAL ORDER ONLY" - ARE AT A HIGHER PRICE</i>					
<i>ALL SPRINGS BY EVEN RATES - OTHER RATES BY SPECIAL ORDER</i>					
HONDA					
04-'09, '10	CRF 70	Showa 27C forks NEED DIMENSIONS			
1996-2001	CR 80R/RB EXP	32448	.22 - .50 EVEN RATES**	55240	3.2 - 7.6
2002-2007	CR 85R/RB EXP	32448	.22 - .50 EVEN RATES**	55240	3.2 - 7.6
08-'09,'11	CRF 80F	17558	NEED CONFIRMATION		NEED CONFIRMATION
04-'09,'11	CRF100F	17558	.50, .60 NO SPACER NEEDED	45134	ASK US
2001-2007	CR 125R	41485	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6 - 7.8
1997-2000	CR 125R	41470	.32 - .54 EVEN RATES	59270	3.6 - 7.8
2007-2012	CRF 150R/RB EXP	32448	.22 - .50 EVEN RATES**	55240	3.2 - 7.6
2003-2009	CRF 150	27585	.38, .40, .42, .44, .46, .48	54288	700#, 850#
2003-2009	CRF 230 F	30597	.40, .42, .44, .46, .48	51290	ASK US
2010-2012	CRF 250 R	43461	.34-.52 EVEN RATES	67265	3.6 - 7.4
2004-2012	CRF 250 R/X	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6 - 7.4
1997-2007	CR 250R	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6 - 7.4
1998-1999	CR 250R	43495	" "	59270	3.6-7.8
1996	CR 250R	41470	.36 - .54 EVEN RATES	59270	3.6-7.8
2009-2012	CRF 450 R	43461	.36 - .52 EVEN RATES	64258	4.6 - 6.8
2002-2008	CRF 450R	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6 - 7.4
2005-2009	CRF450X	43505	NEEDS THE EXTRA PRELOAD		67265
1996-2001	CR 500R	41470	.36 - .54 EVEN RATES	59270	3.6 - 7.8
	XR 50	26165 26184	52#, 52#L, 62#, 62#L, 72#, 72#L	33120	200, 280, 300, 325, 350, 225- 350, Dual Rate
	PW80	CALL US FOR INFORMATION			
1997-2003	XR70	17403	.50, .60	35154	300, 325, 350
2002-2003	XR 100R	17558	.50, .60 NO SPACER NEEDED	45134^	ASK US
1999-2003	XR 200R	29595	.42, .44, .46, .48		ASK US
1996-2004	XR 250R	34444*	SPECIAL ORDER ONLY		57190^ CALL
1996-1999	XR 400R	37505	.42, .44, .46, .48, .50	64220	8.0-12.0
		36.7X505	MAY OR MAY NOT NEED SPACER		
2000-2004	XR 400R	37537*	SPECIAL ORDER ONLY		64220 8.0-12.0
		36.7X537	OR USE 37505 AND SPACER		
1996-2000	XR 600R	36574*	SPECIAL ORDER ONLY		64220 8.0-12.0
			OR USE 37505 AND SPACER		
2000-2007	XR 650R	39505	.44,.46,.48 (06 IS 556 LENGTH)	62247	10.0-12.4
1993-2009	XR 650L	37505	.42, .44, .46, .48, .50	64220	8.0-12.0
	SPECIFY LENGTH DESIRED		MAY OR MAY NOT NEED SPACER		
			1996 IS 572 LENGTH		

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
			07/08 ARE 551 LENGTH		

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
KAWASAKI					
1983-2003	KX 60	24485	SPECIAL ORDER ONLY-NO SPACER NEEDED		ASK US
2000-2001	KX 65	27455			
2002-2012	KX 65	27500	.24, .26, .28, .30, .32, .34, .36	46212	3.2 - 6.6
CAN NOT USE WITH RACE TECH EMULATORS, MAY HAVE TO REMOVE ADJUSTABLE REBOUND RODS					
SHORTER LENGTH SPRINGS BY SPECIAL ORDER					
2001-2012	KX 85	31428	.24, .26, .28, .30, .32, .34, .36, .38	55240	3.2 - 7.6
1992-2000	KX 80	31428	.24, .26, .28, .30, .32, .34, .36, .38	55240	3.2 - 7.6
1995-2012	KX 100	31428	.24, .26, .28, .30, .32, .34, .36, .38	55240	3.2 - 7.6
2003-2007	KX 125	43461	.36,38,.40,.42,.44,.46,.48,.50, .52	59270	3.6 - 7.8
2002	KX 125	43472*	SPECIAL ORDER ONLY	59270	3.6 - 7.8
1996-2001	KX 125	41470	.36 - .54 EVEN RATES	59270	3.6 - 7.8
2011-2012	KX 250F	43743	.76 - .86, .90, .94, .96, 1.04	67265	3.6 - 7.4
2006-2010	KX 250F	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6 - 7.4
2004-2005	KX 250F (4str)	43461	.36,38,.40,.42,.44,.46,.48,.50, .52	59270	3.6 - 7.8
2005-2007	KX 250 (2 str)	44467	.36, 38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2003-2004	KX 250	43461	.36,38,.40,.42,.44,.46,.48,.50, .52	59270	3.6 - 7.8
2002	KX 250	43472*	SPECIAL ORDER ONLY	59270	3.6 - 7.8
1996-2001	KX 250	41470	.36 - .54 EVEN RATES	59270	3.6 - 7.8
2009-2012	KX450F	44470	.36,38,.40,.42,.44,.46,.48,.50,.52	64258	4.6 - 6.8
2007-2008	KX450F	44470	.36,38,.40,.42,.44,.46,.48,.50,.52	59270	3.6 - 7.8
2006	KX450F	44480	.36,38,.40,.42,.44,.46,.48,.50,.52	59270	3.6 - 7.8
1997-2004	KX 500	41470	.36 - .54 EVEN RATES	59270	3.6 - 7.8
1999-2006	KDX 200	36475**	.38,.40,.42,.44,.46,.48	59270	3.6 - 7.8
1997-2005	KDX 220	36475**	.38,.40,.42,.44,.46,.48	59270	3.6 - 7.8
2003-2004	KDX 400	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	67265	3.6 - 7.4
2002-2010	KLX 110	23445	.50, .60	48143	300#, 380#
SPECIFY YEAR					
2002-2003	KLX 125	21596	STRAIGHT RATE .42, .44	51267^	ASK US
2008	KLX 140	26390	ASK US	55255	ASK US
2006-2008	KLX 250	38470**	ASK US	59270	WILL WORK
2009-2012	KLX 250 (S)F)	38416**		5661257	
1994-2008	KLX 300	39462*	SPECIAL ORDER ONLY	59270	3.6 - 7.8
2003-2004	KLX 400	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6 - 7.8
2008-2009	LXX 450 / KLX450R	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6 - 7.8
2008-2009	KLR 650	33365**	ASK US	56250	ASK US
1995-2007	KLR 650	30550			
2008	KXF 450	ATV	ASK US	ATV	

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
KTM					
2011	50 JR/SR	26355		46X42X130	
1999-2010	50 MINI ADV/SX JR/SR	24380	.24, .26, .28, .30	46130	3.2 - 9.8
2012	65 SX	30370	.24, .26, .28, .30, .32, .34, .36, .38		
2002-2010	65 SX (XC)	30382	.24,.26,.28,.30,.32,.34,.36,.38	46212	3.1 - 5.8
1999-2001	65 SX	24380	.24, .26, .28, .30	46212	3.1 - 5.8
<i>have variable rate shock springs available</i>					
2004-2009	85 SX (XC)	38425	.24, .26, .28, .30, .32, .34, .36, .38	60238	3.0 - 6.0
2004-2010	105 SX (XC)	38425	.24, .26, .28, .30, .32, .34, .36, .38	60238	3.0 - 6.0
<i>have variable rate shock springs available - *2006 is a different length</i>					
2009-2012	125 SX	43485			
2007-2008	125 XCW	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2003-2006	125 EXC	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
1999-2002	125 EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2008-2009	125 SX	43485**	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2007	125 SX	43457**	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2002-2006	125 SX	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2000-2001	125 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2009-2012	150 SX/XC	43485**	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2008-2009	144 SX	43485**	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2007	144 SX	43457**	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2007	200	43457	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2003-2005	200 EXC/MXC	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
1999-2002	200 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
***XC 200 CHECK YOUR LENGTH OF FORK SPRINGS HAVE BEEN DISCREPENCIES					
2008-2010	200 XC	43457	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2006-2010	200 XCW & XC	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2005	200 SX	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2008-2012	250 SX/SXF	43485**	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2008-2010	250 XCFW/XCW	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2008-2010	250 XC/XCF	43485**	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2007	250 SX & SXF	43457**	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2007	250 XC/XCF/XCFW/XCW	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2006	250 XC/SXF/SX	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2002-2006	250 SX	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2000-2001	250 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2003-2005	250 EXC	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2000-2002	250 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
1999	250 EXC	44453		62260	5.0-12.4
2008-2012	300 XCW	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2008-2012	300 XC	43485**	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2006-2007	300 XC-W& XC	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2003-2005	300 EXC/MXC	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260**	5.0-12.4
2000-2002	300 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2011-2012	350 SXF/XC	43485	.36, .38, .40, .42, .44, .46, .48, .50, .52,.54	62260L	5.0-12.4
2000-01	380 EXC/MXC/SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
KTM					
2007, 2010	400 XCW	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2002	400 SX	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2000-01	400 SX/EXC	38510	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2001-2002	400 MXC	38510	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2001-2002	400 LC4 DS	38510	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2010-2011	450 EXC	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2008-2012	450 SX-F/XCF	43485**	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2008-2010	450 XCW/XCRW	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2007	450 SXF	43457**	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2006-2007	450 XC-W	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2007	450 EXC (RAC)	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2005	450 MXC (RAC)	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2006	450 SX	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2000-2002	520 EXC	38510	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2002	520 SX	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54		
2000-2001	520 SX	38510	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2001-2002	520 MXC	38510	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2008-2009	505 XC-F/SX-F	43485**	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2007	505 SX-F	43457**	.36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2006-2007	525 XC-W&XC	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2005	525 EXC RAC	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2005	525 MXC RAC	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2006	525 SX	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2008-2010	530 EXC-R W	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2008-2010	530 XCRW & XCW	43505	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2008	560 SMR	43485**	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2002-2006	640 LC4 ADVR	43485**^	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54 (48mm FORKS)	59250	7.0-9.4
1999-2002	640 LC4 ADVR	44460*^	(SOME 2002'S) SPECIAL ORDER ONLY (50mm WP FORKS)	59250	7.0-9.4
2001-2004	640 LC4 DS	38510	.36, .38, .40, .42, .44, .46, .48, .50, .52	59250	
1999-2000	640 LC4 DS	44460*	SPECIAL ORDER ONLY	59250	
1999-2004	640 LC4 D II	CALL	SPECIAL ORDER ONLY	59250	
2009	690	43485	2010 690 ENDURO R, 690 DUKE	61220	
2008	690 ENDURO	43465		61220	STOCK 8.0NM
2008	690 SM	43505^	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	61220^	
2008-2010	690 SMC & SMR	43485**^	.38, .40, .42, .44, .46, .48, .50, .52, .54	61220^	
2007-2008	950 SM	43457**	.36, .38, .40, .42, .44, .46, .48, .50, .52	59215*^	
2007-2008	950 Super Enduro	43457**	.36, .38, .40, .42, .44, .46, .48, .50, .52	59215*^	
2004-2006	950 ADV	43485**	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	59250	7.0-9.4
2009	950 S	43465**	2005 950 ADV MAY BE 43457	62225**	
2007-2010	990 ADV (S)	43465**	.38-.52	59250	7-0-9.4
2005	950 ADV	43457??	2008 990 ADV 62225 15.0NM STOCK		
2010	990 SMR, 990 SMT, SUPER DUKE				

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
KTM					
2008-2009	450 XC ATV	1 7/8 X 11***	ASK US	62260 W/KYB COLLAR	
2008-2009	525 XC ATV	1 7/8 X 11***	ASK US	62260 W/KYB COLLAR	
	HUSABERG	MOST USE THE WP SUSPENSION 43510 FORK SPRINGS AND 62260 SHOCK SPRINGS			
	FX450 HUSABERG USES	43485 (CLOSED CHAMBER)			
	*** THE 62260 ARE AVAILABLE IN THE STRIAIGHT RATES (EVEN) FROM A 5.0 UP TO A 12.4				
	AND ALSO IN THE VARIALBE RATES AS NOTED BELOW				
Variable:-10		-10 (8.5-11.5) Variable Rate Shock Spring for PDS Style Shock			
Variable:-11		-11 (9.5-12.0) Variable Rate Shock Spring for PDS Style Shock			
Variable:-12		-12 (10.0-13.0) Variable Rate Shock Spring for PDS Style Shock			
Variable: -2		-2 (6.0-8.0) Variable Shock Spring for PDS Style Shocks		OUR OWN RATES	
Variable:-5		-5 (6.6-8.6) Variable Rate Shock Spring for PDS Style Shock			
Variable:-6		-6 (7.0-9.0) Variable Rate Shock Spring for PDS Style Shock			
Variable:-7		-7 (7.6-9.6) Variable Rate Shock Spring for PDS Style Shock			
Variable:-8		-8 (8.0-10.0) Variable Rate Shock Spring for PDS Style Shock			
Variable:-Light		-Light(5.8-7.4) Variable Rate Shock Spring for PDS Style Shock			
Variable:-XLight		-XLight (4.8-6.6) kg Variable Shock Spring for the PDS Style Shock			
Variable:-XXLight		-XXLight (4.0-6.0) kg Variable Shock Spring for PDS Style Shock			
Variable:P20C		P20C - PDS Style Variable Rate Shock Spring (8.0 - 13.4)			
Variable:P25C		P25C - PDS Style Variable Rate Shock Spring (8.9 - 14.8)			
	Note: the (^) items are subject to correction/change - not guaranteed to be correct part numbers, customer needs to verify spring dimensions desired on ALL items.				
	KTM (PDS) STYLE SHOCK SPRINGS ARE ORANGE - SOME SMALL BIKES IN WHITE. MOST KYB AND SHOWA STYLE SHOCK SPRINGS AVAILABLE IN BLACK, RED OR YELLOW POWDER COAT. OTHER COLORS BY SPECIAL REQUEST.				

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
SUZUKI					
2006-2009	DRZ 125	21596	.42, .44		CALL
2003	DRZ 125	21596	STRAIGHT RATE .42, .44 2006 DRZ 125 AMY BE 50200	51267^	CALL
1999-2001	DR 200SE	CALL	SPECIAL ORDER ONLY	CALL	
ALL	DR 350 (S)(SE)	CALL	SPECIAL ORDER ONLY MAY BE ABLE TO USE 37505	55273^	CALL
2005-2009	DRZ 400 SM	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	67265	3.6 - 7.4
2001-2008	DRZ 400	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	67265	3.6 - 7.4
1999-2000	DRZ 400	44510	SPECIAL ORDER ONLY	67265	3.6 - 7.4
2000-2011	DRZ 400 E, S	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	67265	3.6 - 7.4
	GOOD FOR THE S		OR ORDER 43572-VERIFY LENGTH		
1999-2011	DR 650SE	37505	.42, .44, .46, .48, .50 OR ORDER TO LENGTH-VERIFY	5560255	ASK US
2003-2006	RM 65	27500	.24, .26, .28, .30, .32, .34, .36	46212	3.2 - 5.8
2005-2012	RM 85 (L)	32448	.22 - .50 EVEN RATES**	55240	3.2 - 7.6
2002-2004	RM 85 (L)	32448	.22 - .50 EVEN RATES**	52250	3.4 - 6.2
1989-2001	RM 80	28560	.24,.26,.28,.30,.34,.36,.38	52250	3.4 - 6.2
2002-2006	RM 100	31428	.24,.26,.28,.30,.32,.34,.36, .38	55240	3.2 - 7.6
2004-2008	RM 125	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6 - 7.4
2002-2003	RM 125	43478**	SPECIAL ORDER ONLY	67265	3.6 - 7.4
2001	RM 125	43472**	SPECIAL ORDER ONLY	67265	3.6 - 7.4
1998-2000	RM 125	44460*	SPECIAL ORDER ONLY	67265	3.6 - 7.4
2004-2009	RM 250	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6 - 7.4
2003	RM 250	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6 - 7.8
2001-2002	RM 250	41470	.32 - .54 EVEN RATES	59270	3.6 - 7.8
1999-2000	RM 250	44460*	SPECIAL ORDER ONLY	67265	3.6 - 7.4
1998	RM 250	42.4x470*	SPECIAL ORDER ONLY	call	call
2007-2012	RM Z 250	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6 - 7.4
2004-2006	RM Z 250	43461	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2005-2012	RM Z 450	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6 - 7.4

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
YAMAHA					
2001-2009	PW 50	ASK US	USES 22mm TELESCOPIC STYLE FORKS	21173	ASK US
				25#INCREMENTS	
2001-2008	PW 80	17425	CALL FOR RATES	38168	CALL
2005-2012	WRF'S	43461	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2008	WR250 & WR25RXL	42451	ASK US	5862225	ASK US
2007	WR250 & WR25RXL	43461	.36, .38, .40, .42, .44, .46, .48, .50, .52		
2003-2004	WR 450F/250	41460	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2000-2002	WR 426F / YZ 426	41460	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
1998-2000	WR 400F/ YZ 400	41460	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
1999-2012	YZ 85	31428	.24, .26, .28, .30, .32, .34, .36, .38	55225	3.4 - 5.8
1993-2001	YZ 80	31428	.24, .26, .28, .30, .32, .34, .36, .38	55225	3.4 - 5.8
2006-2012	YZ 125	44453	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2005	YZ 125	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2004	YZ 125	44480	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	59270	3.6 - 7.8
1996-2003	YZ 125	41460	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2006-2012	YZ 250	44453	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2005	YZ 250	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2004	YZ 250	44480	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	59270	3.6 - 7.8
1996-2003	YZ 250	41460	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2006-2012	YZ 250F	44453	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2005	YZ 250F	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2004	YZ 250F	44480	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	59270	3.6 - 7.8
2001-2003	YZ 250F	41460	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2010-2012	YZ 450F	44470	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	64258	4.6 - 6.8
2006-2009	YZ 450F	44453	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2005	YZ 450F	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2004	YZ 450F	44480	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	59270	3.6 - 7.8
1998-2003	YZ 450F	41460	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2008-2009	TTR 50		USES SHOWA 22mm INVERTED FORKS		
2003-2006	TTR 90	18419	.40 - .46 (stock rate: .35)	38174	415#, 475#
2008-2012	TTR 110		USES 31mm HYDRAULIC FORKS		
2008-2011	TTR 125		USES 31mm SHOWA FORKS		
2000-2007	TTR 125	22464	.36, .40, .42, .44, .46-NO SPACER NEEDED	55184	ASK US
1999-2006	TTR 225	29595	.42, .44, .46, .48, .52	50196	ASK US
2005-2012	TTR 230	29614**	CALL FOR RATES	57210**	ASK US
1999-2007	TTR250	36475**	.36, .38, .40, .42, .44, .46, .48	59270	

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
SPECIAL AND MISCELLANEOUS ITEMS					
	I.C.S		INNER CHAMBER SPRINGS 1.0, 1.2, 1.4, 1.6, 1.8, 2.0, 2.2, 2.4		
	"KYB" & "SHOWA"		SPECIFY BIKE AND YEAR FOR ACCURACY OF PART		
	MOTOGUZZI		SHIFTER SPRINGS		
	MARZOCCHI 48MM	43461			
	MARZOCCHI 45mm	40462**	Fork Springs for the 45mm Marzocchi Style Forks		
	MARZOCCHI 50mm	46450**	Fork Springs for the 50mm HUSKY UPSIDE DOWN OPEN CARTRIDGE FORKS		
	MARZOCCHI 50mm	46465**	Fork Sprigns for the 50MM Shiver Marzocchi Sealed Cartridge Forks		
HUSQVARNA					
	2010 TE 310, WR125 AND THE SM MOTARDS USE THE 50MM MARZOCCHI'S				
	2010 KAYABA TWIN CHAMBER (OPEN) CAN USE THE 43461 SET DOWN TO 455				
	2010 KAYABA CLOSED CHAMBER CAN USE THE 43461				
	OHLINS STYLE	59275	FOR THE OHLINS STYLE SHOCK EVEN RATES 4.6 - 9.0KG		
	HUSKY (SACHS) STYLE	60260	FOR THE HUSKY/SACHS STYLE SHOCKS EVEN RATES 4.4 - 8.6		
	BANSHEE STYLE	56235	FOR THE BANSHEE STYLE SHOCKS SOME RATES 5.8 - 9.6		
	ATV SPRINGS		YZF450, TRX450, AND OTHERS--ASK US		
			1 7/8 x 10 springs in 5lb increments		
			1 7/8 X 8 springs in 5lb increments-limited rates		
	POLARIS	ATV	CALL FOR INFO		
	ACT 250 -3 WHEELER		BANSHEE STYLE FITS		
	XR 50		CLUTCH SPRINGS		
	PW 50		CLUTCH SPRINGS		
	CR 80/85	1987-2007	SST CLUTCH SPRINGS		
	KLX 110		CLUTCH SPRINGS		
	CR 125R		SST CLUTCH SPRINGS		
	CRF 150R	2009-2012	SST CLUTCH SPRINGS		
	CRF 250R	2004-2012	SST CLUTCH SPRINGS		
	CRF 250 R	2010-2012	SSI CLUTCH SPRINGS		
	CRF 450 / CR250 / TRX450		SST CLUTCH SPRINGS		
	02-03,06-08 / 90-07 / 05-08				
	CRF 450	2009-2012	SST CLUTCH SPRINGS		
	KX125 / KX250F / RMZ250		SST CLUTCH SPRINGS		
	03-08 / 06-12 / 05-09				
	KX 450F / RMZ450		SST CLUTCH SPRINGS		
	06-09 / 05-07				
	KX 450F HD		SST HEAVY DUTY CLUTCH SPRINGS		
	RMZ 450 / RM250		SST CLUTCH SPRINGS		
	08-09 / 01-06				
	YZ 250F / YZ 125		SST CLUTCH SPRINGS		
	01-06 / 91-09				
	YZ250F		SST CLUTCH SPRINGS		
	2007-2012				
	YZ 250 / 450F		SST CLUTCH SPRINGS		
	02-09 / 2006-2012				
	450 RAPTOR / YFZ 450 / 350 WARRIOR / 350 RAPTOR / 250 RAPTOR				
	06-09 / 05-09 / 87-03 / 04-09 / 08-09				