

SPRING APPLICATION CHART					
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
ALL SPRINGS BY EVEN RATES-OTHER RATES BY SPECIAL ORDER					
<b>HONDA</b>					
1996-2001	CR 80R/RB EXP	32448	.22-.50 EVEN RATES	55240	3.2-7.6
2002-2007	CR 85R/RB EXP	32448	.22-.50 EVEN RATES	55240	3.2-7.6
08-09,2011	CRF 80F	17558	NEED CONFIRMATION	NEED CONFIRMATION	
04-09,2011	CRF 110F	17558	SPECIAL	45134	SPECIAL
2001-2007	CR 125R	41485	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
1997-2000	CR 125R	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
07-09,12-13	CRF 150R/RB EXP	32448	.22-.50 EVEN RATES	55240	3.2-7.6
2003-2009	CRF 150F	27585	.38,.40,.42,.44,.46,.48	54288	700#, 850#
2003-2009	CRF 230F	30597	.40,.42,.44,.46,.48	51290	SPECIAL
2014	CRF 250R	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	67250	3.6-6.8
2010-2013	CRF 250R	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265	3.6-6.8
2004-2014	CRF 250X	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265	3.6-6.8
2000-2009	CR 250R/ CRF 250R	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265	3.6-6.8
1997-1999	CR 250R	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
1996	CR 250R	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
2013-2014	CRF 450R	AIR	N/A	64258	4.2-6.8
2009-2012	CRF 450R	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	64258	4.2-6.8
2002-2008	CRF 450R	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265	3.6-6.8
05-09,12-14	CRF 450X	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265	3.6-6.8
1996-2001	CR 500R	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
1997-2003	XR 70	17403	SPECIAL	35154	SPECIAL
2002-2003	XR 100R	17558	SPECIAL	45134	SPECIAL
1999-2003	XR 200R	29595	.42,.44,.46,.48,.50,.52	NEED CONFIRMATION	
1996-2004	XR 250R	34444	.36,.38,.40,.42,.44,.46,.48,.50,.52	57190	MTO:11.0-12.6
<b>CHECK FOR REDUCED END</b>					
2000-2004	XR 400R	37537	SPECIAL	64220	8.0-12.0
			CAN USE 37505 AND SPACER		
1996-1999	XR 400R	37505	.42,.44,.46,.48,.50,.52,.54	64220	8.0-12.0
			MAY NEED SPACER		
1996-2000	XR 600R	36574	SPECIAL	64220	8.0-12.0
			CAN USE 37505 AND SPACER		
2000-2007	XR 650R	39505	.44,.46,.48,.50,.52	62247	10.0-12.4
			2006 IS 556 LENGTH		
1993-2009	XR 650L	37505	.42,.44,.46,.48,.50,.52,.54	64220	8.0-12.0
<b>SPECIFY LENGTH DESIRED</b>			1996 IS 572 LENGTH		
			2007-2008 ARE 551 LENGTH		

YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
<b>KAWASAKI</b>					
1983-2003	KX 60	24485	SPECIAL	NEED CONFIRMATION	
2002-2014	KX 65	27500	.24,.26,.28,.30,.32,.34,.36	46212	3.1-6.6
CAN NOT USE WITH RACE TECH EMULATORS. MAY HAVE TO REMOVE ADJUSTABLE REBOUND RODS					
2000-2001	KX 65	27455	SPECIAL	46212	3.1-6.6
1992-2000	KX 80	31428	.24,.26,.28,.30,.32,.34,.36,.38	55240	3.2-7.6
2001-2014	KX 85	31428	.24,.26,.28,.30,.32,.34,.36,.38	55240	3.2-7.6
1995-2014	KX 100	31428	.24,.26,.28,.30,.32,.34,.36,.38	55240	3.2-7.6
2003-2007	KX 125	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2002	KX 125	43472	SPECIAL	59270	3.6-7.8
1996-2001	KX 125	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
2013-2014	KX 250F	44664	.76-1.04 EVEN RATES	67265	3.6-6.8
2011-2012	KX 250F	43743	.76-1.04 EVEN RATES	67265	3.6-6.8
2006-2010	KX 250F	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265	3.6-6.8
2004-2005	KX 250F (4 STR)	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2005-2007	KX 250 (2 STR)	44467	.36,.38,.40,.42,.46,.48,.50	59270	3.6-7.8
2003-2004	KX 250	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2002	KX 250	43472	SPECIAL	59270	3.6-7.8
1996-2001	KX 250	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
2013-2014	KX 450F	AIR	N/A	64258	4.2-6.8
2009-2012	KX 450F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	64258	4.2-6.8
2007-2008	KX 450F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
2006	KX 450F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
1997-2004	KX 500	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
1991-1993	KX 500	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
1993-2006	KDX 200	36475	.38,.40,.42,.44,.46,.48	59270	3.6-7.8
1997-2005	KDX 220	36475	.38,.40,.42,.44,.46,.48	59270	3.6-7.8
2003-2007	KDX 400	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	67265	3.6-6.8
2002-2012	KLX 110	23445	.50,.60	48143	300#,380#
2002-2003	KLX 125	21596	SPECIAL	51267	SPECIAL
2008	KLX 140	26390	MADE TO ORDER: .36-.52	55255	SPECIAL
2006-2008	KLX 250	38470	MADE TO ORDER: .36-.52	5661257	6.0-8.4
2009-2012	KLX 250S/SF	38416	SPECIAL	5661257	6.0-8.4
1994-2008	KLX 300	39462	MADE TO ORDER: .36-.52	59270	3.6-7.8
2003-2004	KLX 400	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
2008-2010	KLX 450/KLX 450R	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2008-2009	KLR 650	33365	MADE TO ORDER: .36-.52	56250	SPECIAL
1995-2007	KLR 650	30550	MADE TO ORDER: .36-.52	55240	3.2-7.6
<b>YEAR</b>	<b>MODEL</b>	<b>FORK</b>	<b>RATES AVAILABLE</b>	<b>SHOCK SPRING</b>	<b>RATES</b>

YEAR	MODEL	SPRING	RATES AVAILABLE	SHOCK SPRING	AVAILABLE
<b>KTM</b>					
2012-2014	50 SX	30338	.16,.18,.20,.22,.24	46130J/46130S	3.0-9.8
2011	50 JR/SR	26355	SPECIAL	46130J(46x42x130)	3.0-9.8
1999-2010	50 SX JR/SR,MINI ADV.	24380	.24,.26,.28,.30	46130	3.0-9.8
2012-2014	65 SX	30370	.24,.26,.28,.30,.32,.34,.36,.38	46212	3.1-6.6
2002-2011	65 SX/XC	30382	.24,.26,.28,.30,.32,.34,.36,.38	46212	3.1-6.6
1999-2001	65 SX	24380	.24,.26,.28,.30	46212	3.1-6.6
2012-2014	85 SX	38425	.24,.26,.28,.30,.32,.34,.36,.38	60215	3.0-6.0
2004-2011	85 SX/XC	38425	.24,.26,.28,.30,.32,.34,.36,.38	60238	3.0-6.0
2004-2011	105 SX/XC	38425	.24,.26,.28,.30,.32,.34,.36,.38	60238	3.0-6.0
2008-2014	125 SX	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2007	125 SX	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2002-2006	125 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
1999-2001	125 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2013-2014	125 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2006	125 EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
1999-2002	125 EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2007-2008	125 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008-2009	144 SX	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2007	144 SX	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2014	150 XC	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2009-2013	150 XC	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2009-2014	150 SX	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2006-2014	200 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2005	200 EXC/MXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
1999-2002	200 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2008-2010	200 XC	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2006-2007	200 XC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2005	200 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008-2014	250 SX/SX-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2007	250 SX/SX-F	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2002-2006	250 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2000-2001	250 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2008-2014	250 XCF-W/XC-F	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54,	62260	4.2-10.0
2014	250 XC/XC-F	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008-2013	250 XC/XC-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2007	250 XC/XC-F/XCF-W/XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2006	250 XC/SX-F/SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
1999,03-05	250 EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2000-2002	250 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
<b>YEAR</b>	<b>MODEL</b>	<b>FORK SPRING</b>	<b>RATES AVAILABLE</b>	<b>SHOCK SPRING</b>	<b>RATES AVAILABLE</b>

KTM					
2013-2014	250/300 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2006-2014	300 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2014	300 XC	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008-2013	300 XC	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2006-2007	300 XC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2005	300 EXC/MXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2000-2002	300 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2012-2014	350 EXC-F/XCF-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2011-2014	350 SX-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2014	350 XC-F	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2011-2013	350 XC-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2013-2014	350 EXC-F SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2000-2001	380 EXC/MXC/SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
07,09-10	400 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2002	400 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2000-2001	400 SX/EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2001-2002	400 MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2001-2002	400 LC4 DUAL SPORT	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2014	450 XC-F	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008-2013	450 XC-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008-2014	450 SX-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2007	450 SX-F	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2003-2006	450 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2006-2014	450 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2009-2011	450 EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008	450 XCR-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2014	450 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2007	450 EXC (RAC)	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2005	450 MXC (RAC)	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2012-2014	500 XC-W/EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2013-2014	500 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008-2009	505 XC-F/SX-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2007	505 SX-F	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2000-2002	520 EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2002	520 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2000-2001	520 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2001-2002	520 MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2006-2007	525 XC-W/XC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
<b>YEAR</b>	<b>MODEL</b>	<b>FORK SPRING</b>	<b>RATES AVAILABLE</b>	<b>SHOCK SPRING</b>	<b>RATES AVAILABLE</b>
KTM					

2006	525 EXC-G RACING	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2006	525 XC-G RACING	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2006	525 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2005	525 EXC RACING	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2005	525 MXC RACING	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2009-2011	530 EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008-2011	530 EXC-R	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008-2010	530 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008-2010	530 XCR-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008	560 SMR	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2006	640 LC4 ADVENTURE	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59250	7.0-9.4
2002	640 LC4 ADVENTURE	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59250	7.0-9.4
	<b>SPECIFY DIMENSIONS</b>	44460	<b>SPECIAL</b>	59250	7.0-9.4
1999-2001	640 LC4 ADVENTURE	44460	<b>SPECIAL</b>	59250	7.0-9.4
2001-2004	640 LC4 DUAL SPORT	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	59250	7.0-9.4
1999-2000	640 LC4 DUAL SPORT	44460	<b>SPECIAL</b>	59250	7.0-9.4
1999-2004	640 LC4 DUKE II	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	59250	7.0-9.4
2012-2013	690 ENDURO R	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	61220	7.0-10.0
2008-2011	690 ENDURO R	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	61220	7.0-10.0
2008-2010	690 SMC/SMR	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	61220	7.0-10.0
2009	690 DUKE	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	61220	7.0-10.0
2008	690 ENDURO	43465	.38-.70 EVEN RATES	61220	7.0-10.0
2008	690 SM	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	61220	7.0-10.0
2009	950 S	43465	.38-.70 EVEN RATES	62225	11.0-14.8
2007-2008	950 SM	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	59215	SPECIAL
2007-2008	950 SUPER ENDURO	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	59215	SPECIAL
2004-2006	950 ADVENTURE	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59250	7.0-9.4
09,11-12	990 ADVENTURE R	43465	.38-.70 EVEN RATES	62225	11.0-14.8
2007-2010	990 ADVENTURE S	43465	.38-.70 EVEN RATES	62225	11.0-14.8
2013	990 SMT		NEED CONFIRMATION	59 x 195	SPECIAL
<b>KTM VARIABLES</b>					
<b>FORK SPRINGS</b>		<b>OVER 8" TRANSITION</b>			
<b>PLEASE SPECIFY BIKE AND/OR LENGTH DESIRED</b>					
	<b>RATES AVAILABLE</b>				
43505, 43485	FS: .36-.42				VARIABLE RATE FORK SPRINGS FOR WP STYLE FORKS
43505, 43485	FS: .38-.43				VARIABLE RATE FORK SPRINGS FOR WP STYLE FORKS

43505, 43485	FS: .38-.46	VARIABLE RATE FORK SPRINGS FOR WP STYLE FORKS			
43505, 43485	FS: .40-.45	VARIABLE RATE FORK SPRINGS FOR WP STYLE FORKS			
43505, 43485	FS: .40-.48	VARIABLE RATE FORK SPRINGS FOR WP STYLE FORKS			
43505, 43485	FS: .42-.50	VARIABLE RATE FORK SPRINGS FOR WP STYLE FORKS			
43505, 43485	FS: .45-.50	VARIABLE RATE FORK SPRINGS FOR WP STYLE FORKS			
43505, 43485	FS: .46-.54	VARIABLE RATE FORK SPRINGS FOR WP STYLE FORKS			
43505, 43485	FS: .48-.56	VARIABLE RATE FORK SPRINGS FOR WP STYLE FORKS			
43505, 43485	FS: .50-.58	VARIABLE RATE FORK SPRINGS FOR WP STYLE FORKS			
43505, 43485	FS: .53-.58	VARIABLE RATE FORK SPRINGS FOR WP STYLE FORKS			
<b>SHOCK SPRINGS</b>					
60215, 60238	3.0-4.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 85/105SX			
60215, 60238	3.2-4.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 85/105SX			
60215, 60238	3.6-4.6	VARIABLE RATE SHOCK SPRINGS FOR KTM 85/105SX			
60215, 60238	4.0-5.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 85/105SX			
46212	3.0-4.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 65SX/KX65			
46212	3.2-5.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 65SX/KX65			
46212	3.5-5.2	VARIABLE RATE SHOCK SPRINGS FOR KTM 65SX/KX65			
46212	3.6-4.6	VARIABLE RATE SHOCK SPRINGS FOR KTM 65SX/KX65			
46212	3.8-5.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 65SX/KX65			
46212	3.8-6.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 65SX/KX65			
VARIABLE: -2	6.0-8.0	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: -5	6.6-8.6	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: -6	7.0-9.0	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: -7	7.6-9.6	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: -8	8.0-10.0	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: -10	8.5-11.5	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: -11	9.5-12.0	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: -12	10.0-13.0	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: -13	11.0-14.0	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: -14	11.0-17.0	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: -LIGHT	5.8-7.4	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: -X-LIGHT	4.8-6.6	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: -XX-LIGHT	4.0-6.0	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: P20C	8.0-13.4	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
VARIABLE: P25C	8.9-14.8	VARIABLE RATE SHOCK SPRING FOR PDS STYLE SHOCK			
<b>YEAR</b>	<b>MODEL</b>	<b>FORK SPRING</b>	<b>RATES AVAILABLE</b>	<b>SHOCK SPRING</b>	<b>RATES AVAILABLE</b>
<b>SUZUKI</b>					
2006-2009	DRZ 125	21596	SPECIAL	NEED CONFIRMATION	
2003	DRZ 125	21596	SPECIAL	51267	SPECIAL
1999-2001	DR 200SE		NEED CONFIRMATION	NEED CONFIRMATION	
ALL	DR 350S/SE		NEED CONFIRMATION	55273	SPECIAL

		MAY USE 37505			
2000-2014	DRZ 400E/S	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	67265	3.6-6.8
	<b>SPECIFY LENGTH DESIRED</b>	43572	SPECIAL		
2005-2009	DRZ 400SM	43450	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	67265	3.6-6.8
2001-2008	DRZ 400	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	67265	3.6-6.8
1999-2000	DRZ 400	44510	SPECIAL	67265	3.6-6.8
1999-2011	DR 650SE	37505	.42,.44,.46,.48,.50,.52,.54	5661257	6.0-8.4
	<b>SPECIFY LENGTH DESIRED</b>	37550	SPECIAL		
2003-2006	RM 65	27500	.24,.26,.28,.30,.32,.34,.36	46212	3.1-6.6
1989-2001	RM 80	28560	.24,.26,.28,.30,.32,.34,.36,.38	52250	3.4-6.2
2005-2014	RM 85	32448	.22-.50 EVEN RATES	55240	3.2-7.6
2002-2004	RM 85	32448	.22-.50 EVEN RATES	52250	3.4-6.2
2007-2014	RM 85L	32448	.22-.50 EVEN RATES	55240	3.2-7.6
2002-2006	RM 100	31428	.24,.26,.28,.30,.32,.34,.36,.38	55240	3.2-7.6
2004-2008	RM 125	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265	3.6-6.8
2002-2003	RM 125	43478	SPECIAL	67265	3.6-6.8
2001	RM 125	43472	SPECIAL	67265	3.6-6.8
1998-2000	RM 125	44460	SPECIAL	67265	3.6-6.8
2004-2009	RM 250	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265	3.6-6.8
2003	RM 250	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2001-2002	RM 250	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
1999-2000	RM 250	44460	SPECIAL	67265	3.6-6.8
1998	RM 250	42.4 x 470	SPECIAL	67265	3.6-6.8
2013-2014	RMZ 250	44664	.76-1.04 EVEN RATES	67265	3.6-6.8
2007-2012	RMZ 250	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265	3.6-6.8
2004-2006	RMZ 250	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2013-2014	RMZ 450	44664	.76-1.04 EVEN RATES	67265	3.6-6.8
2005-2012	RMZ 450	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265	3.6-6.8
<b>YEAR</b>	<b>MODEL</b>	<b>FORK SPRING</b>	<b>RATES AVAILABLE</b>	<b>SHOCK SPRING</b>	<b>RATES AVAILABLE</b>
<b>YAMAHA</b>					
2001-2009	PW 50		NEED CONFIRMATION	21173	SPECIAL
2001-2008	PW 80	17425	SPECIAL	38168	SPECIAL
1992-1993	WR 200	36475	.38,.40,.42,.44,.46,.48	59270	3.6-7.8
05,'07-'12	WR 250F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
2001-2004	WR 250F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2008-2014	WR 250R	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	63.5 x 203	SPECIAL

2008-2011	WR 250X	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	63.5 x 203	SPECIAL
2008	WR250/WR25RXL	42451	MTO: .38-.52 EVEN RATES	5862225	MTO: 7.0-10.0
2007	WR250/WR25RXL	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	NEED CONFIRMATION	
1998-2000	WR 400F/YZ 400	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2000-2002	WR 426F/YZ 426	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2012-2014	WR 450F	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	5961245	SPECIAL
2005-2011	WR 450F	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2003-2004	WR 450F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
1993-2001	YZ 80	31428	.24,.26,.28,.30,.32,.34,.36,.38	55225	3.4-6.8
1999-2014	YZ 85	31428	.24,.26,.28,.30,.32,.34,.36,.38	55225	3.4-6.8
2006-2014	YZ 125	44453	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2005	YZ 125	44467	.36,.38,.40,.42,.44,.46,.48,.50	59270	3.6-7.8
2004	YZ 125	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
1996-2003	YZ 125	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2006-2014	YZ 250	44453	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2005	YZ 250/250F	44467	.36,.38,.40,.42,.44,.46,.48,.50	59270	3.6-7.8
2004	YZ 250/250F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
1996-2003	YZ 250	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2014	YZ 250F	44497	.36,.38,.40,.42,.44,.46,.48,.50,.52	64275	4.6-6.8
2006-2013	YZ 250F	44453	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2001-2003	YZ 250F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2014	YZ 450F	44497	.36,.38,.40,.42,.44,.46,.48,.50,.52	64275	4.6-6.8
2010-2013	YZ 450F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	64258	4.6-6.8
2006-2009	YZ 450F	44453	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2005	YZ 450F	44467	.36,.38,.40,.42,.44,.46,.48,.50	59270	3.6-7.8
2004	YZ 450F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
1998-2003	YZ 450F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6-7.8
2003-2006	TTR 90	18419	SPECIAL	38174	SPECIAL
2000-2007	TTR 125	22464	.36,.38,.40,.42,.44,.46	55184	4.6-8.2
1999-2006	TTR 225	29595	.42,.44,.46,.48,.50,.52	50196	4.6-8.2
2005-2012	TTR 230	29614	MTO: .38-.52 EVEN RATES	57210	MTO: 8.0-10.0
1999-2007	TTR 250	36475	.36,.38,.40,.42,.44,.46,.48	59270	3.6-7.8
<b>MISCELLANEOUS</b>					
<b>INNER CHAMBER SPRINGS</b>					
I.C.S.	KYB: 106MM	STRAIGHT RATES: 1.0, 1.2, 1.4, 1.6, 1.8, 2.0, 2.2, 2.4			
	SHOWA: 100MM	VARIABLE RATES: 1.2-2.2, 1.4-2.4, 1.8-2.8			
<b>MARZOCCHI</b>	45MM	40462	.36,.38,.40,.42,.44,.46,.48,.50,.52		
	48MM	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52		
	50MM	46450	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54		
	50MM	46465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54		
<b>OHLINS</b>	48MM	43.8 x 465	SPECIAL		
<b>SACHS</b>	48MM	44467	.36,.38,.40,.42,.44,.46,.48,.50		
<b>OHLINS</b>		59275	4.6-9.0		



<b>SACHS</b>		60260	4.4-8.6			
<b>BANSHEE</b>		56235	5.8-9.6			
<b>HUSQVARNA</b>						
2010 TE 310, WR 125 AND THE SM USE THE 50MM MARZOCCHI'S						
2010 KAYABA TWIN CHAMBER (OPEN) CAN USE THE 455						
2010 KAYABA CLOSED CHAMBER CAN USE THE 43461						